CLASSIFICATION RECEIVED
CENTRAL SERVICE TO THE CONTROL SERVICE TO TH

RAL INTELLIGENCE AGENCY REF

REPORT
CD NO.

COUNTRY

Albania

DATE OF

SUBJECT

Economic - Materials, mining, and metallurgy

FOREIGN DOCUMENTS OR RADIO BROADCASTS

INFORMATION 1943

HOW

10.0

Г

PUBLISHED

DATE DIST.6 Feb 1953

WHERE PUBLISHED

Rome

Books

NO. OF PAGES 5

DATE

PUBLISHED

1941, 1943

.

LANGUAGE

Italian

SUPPLEMENT TO REPORT NO.

OF THE UNITED STATES, INFORMATION AFFECTING THE MATIONAL CITYEST OF THE UNITED STATES, THIS TREMENING OF TITLE IS, SECTIONS 195 AND 746, OF THE U.S. CODE. AS MANDED. ITS TRANSMISSION ON REVE. LATION OF ITS CONTENTS TO OR RECEIPT BY AN UNMUTHORIZED PERSON IS POSSIBLED BY AN ALL THE REPORTED CONTENTS TO THIS FORM IT PROPRIETED.

THIS IS UNEVALUATED INFORMATION

SOURCE

Books as indicated.

1941 - 1943 DATA ON MINERAL DEPOSITS IN ALBANIA

/The following report gives information on the chief mineral deposits in Albania, as described in two Italian studies published in 1941 and 1943. These studies state that Albania is potentially rich in iron ore, and that it has numerous chromite and some copper deposits.

Numbers in parentheses refer to appended scurces. 7

ferrois Metals.

Ferrous mineral strata are found in the northeast section of Albahia in the Kukes-Krama area, and in the central-eastern section, the Pogradec Elbasan area.

In the central-eastern section, the from strata were discovered beneath limestone, near the crest which separates the Shkumbi valley from Lake Ohrid, in a 20 hilometeristrip from Pogradec to Pishkash.(1) In this strip of land there are the following occurrences of iron ore: northwest of Memelisht, several kilometers from Pogradec; in the vicinity of Cervenake valley; north of Cervenake valley in the Hodonisht valley, where reserves of approximately 2 million tons of iron ore are to be found; approximately 3 kilometers north of Hodonisht valley and not far from where there is 6-meter compact stratum of this mineral; north of the above deposits, between Katjeli and Perrenjes; and northwest of the above deposits, near Pishkash. Other important stratum reappear northwest of this projection, between Librarhd and Elbasan, clong the valley of the middle Shkumbi river.(2)

Brown or black hematite is found in connection with thick collite or pisolite, mixed with quantities of magnetite, with rare nuclei of cligists and very few manifestations of limonite alterations.

The metal content is 55-60 percent. Proved reserves in this central-eastern region are considered to be at least 15 million tons /probably metric tons/ but there is reason to believe that the reserve is greater.

- 1 -

	CLASSIFICATION	RESTRICTED	
STATE NAVY	NSRB	DISTRIBUTION	
ARMY AIR	↑ FBI		



Decidosined in Fait - Odinized Coby Approved for Neicase 20 Fi/ 10/25 . OlA-NDI 00-0000/A000/00 100 14	Declassified in I	Part - Sanitized Copy	Approved for Release 2011/10/25:	: CIA-RDP80-00809A000700100447
---	-------------------	-----------------------	----------------------------------	--------------------------------

RESTRICTED

The cost of transporting the ore from the mines to the road by mules and donkeys, and from the road to Durres b, trucks exceeds the actual cost of production. Consequently, construction was begun on a great overhead wirecable to which other minor cables were to be attached. With this cable, passing to Qukes and Librarhd, it was planned to bring the ore up to Labinot, where a railroad under construction was to transport it to the sea.(1)

In the Mukes-Krama area of northeast Albania, those mineral strata which have been indentified are similar to the strata of the central-eastern, section. The northeast section iron ores are to be found in the following locations: Amez zone, near the Suk's Mamzit mountain, at an altitude of 828 meters; Truls zone, southwest of the Mamez zone, near the Truls mountain; a few kilometers northeast of Kukes; and the Vranishte area near Kruma.(2)

The mineral strata are composed of brown hematite, compact, with thicl pisolite or colite, with a variable quantity of other exides and especially of imagnetite. The magnetite, in certain localities such as Morine, predominates over the hematite, bringing the percentage of iron ore to 70 percent.

In this region the transport problem is the most difficult because, even completion of the Puke-Kukes road, the ore will have to be transported some 220 kilometers to the nearest port of San Giovanni di Medua. The road has since been completed. However, the high ore percentage will, at least in part, compensate for the major expense.

The presence of iron ores in quantitiy is possible in other regions: northeast of Elbasan; in the Shushice valley; on the coast of Himara; in the valley between Tepelene and Gjinokaster; in the Delvina hollow; in the Kaerje River valley; and southeast Kakawaa probably Kakawi village.

(Prof. Ferdinando Milone, author of <u>Albania Economica</u>, expressed the opinion that potentially as much iron ore can be extracted from the Albanian mountains as is produced by mines of continental and insular Italy.) (1)

Chremite

Chromite is to be found in the Pogradec and Kukes regions. The strata are composed of lenticular masses, irregular in form and dimensions, and of only a few meters in depth, rerely reaching 10 meters.

Excavation is carri out by the open-pit method. The mineral is of good percentage and production is increasing continuously. Transportation is not too difficult in the Pogradec area, but is very difficult in the Kukes-Krama-Letaj region. The chromite strata of the latter region extend into Yugoslavia.(1)

Copper

Copper is to be found in the Mirdite area, along the Fami valley, oppositivately 12 kilometers from Lesh. The two principal mines are on the two Derveni mountain. (7)

SOURCES

1. Rose, L'albania Economica by Prof Fordinando Milone, 1941 2. Rose, L'albania, published ty Rosic Societa Geografica, 1943

/The following three maps show The locations of shounts and formous ore deposits in the northeast and contral-eastern regions, and of the principal admoral deposits throughout the country.


- 2 -

RESTRICTED



Γ

RESTRICTED




Map 1. Chromite and Perrous Mineral Paposits in the Kukes-Krams Region of Northeast Albania.(1)

- 3 -

RESTRICTED

Γ

PROTEIN



Map 2. Chromite and Ferrous Deposits in the Pogradec-Elbasan Region of Central-Eastern Albania.(1)

RECERLOTED

Γ

Gypsum Lignita Patroleum Bitumen Sulfur apring Magnesium

Wep 3. Principal Mineral Deposits in Albania.(2)

- E N D -

PERTECUEN

STAT.

